

Summit County Public Health Influenza Surveillance Report

2020 - 2021 Season





Flu Surveillance Weeks 25 & 26 (3/21 to 4/3/2021) Centers for Disease Control and Prevention MMWR Weeks 12 & 13

Summit County Surveillance Data:

During Week 26 of influenza surveillance, influenza-related activity was minimal in Summit County. COVID-19 activity is increasing with continued elevated risk of community exposure.

	Week 25 MMWR 12 N (%) ¹	Week 26 MMWR 13 N (%) ¹	Percent change from previous week	Number of weeks increasing or decreasing
Lab Reports: Influenza				
Tests Performed	506	456	- 9.9%	↓1
Positive Tests (Number and %)	0 (0.0)	0 (0.0)		
Influenza A (Number and %)	0 (0.0)	0 (0.0)		
Influenza B (Number and %)	0 (0.0)	0 (0.0)		
Lab Reports: COVID-19				
Tests Performed	1929	1670	- 13.4%	↓1
Positive Tests (Number and %)	87 (4.5)	122 (7.3)	+ 62.0%	↑2
Acute care hospitalizations for Influenza:	0	0		
Acute care hospitalizations for COVID-19:	82	116	+ 39.8%	↑1
Pharmacy Prescriptions				
Zanamivir (Relenza)	0	0		
Oseltamivir (Tamiflu)	0	0		
Baloxavir marboxil (Xofluza)	0	0		
Peramivir (Rapivab)	0	0		
Total	0	0		
Schools absenteeism ²	7.7%	9.2%	+ 18.9%	个3
Deaths (occurred in Summit Coun	ity)			
Total deaths certified	129	150	+ 16.3%	↑2
Pneumonia associated	7 (5.4)	17 (11.3)	+ 108.9%	↑ 1
Influenza associated	0 (0.0)	0 (0.0)		
COVID-19 associated	7 (5.4)	11 (7.3)	+ 35.1%	↑1
Emergency room visits (ESSENCE)	³ (Figure 3)			
Total ED Visits	5447	5246	- 3.7%	↓1
Respiratory Encounters	511 (9.4)	495 (9.4)	+ 0.6%	NC
ILI Encounters	49 (0.9)	43 (0.8)	- 8.9%	↓1

¹⁾ N and % are reported when available

Note: Data is provisional and may be updated as more information is received. Percentages should be interpreted with caution. Small changes in number can result in large changes in percent. When a percentage, or prevalence, is available in this table, the percent change will be calculated from those values

Lab reports: During the Week 26, reporting Summit County facilities ordered 456 influenza tests, none of which had a positive result. 1,670 COVID-19 tests were completed by reporting partners, with a positivity rate of 7.3% in Week 26 (a 62.0% increase from Week 25) (Figure 4).

Note: Influenza and COVID-19

Note: Influenza and COVID-19 testing data are collected from selected reporting partners and do not represent positivity rates for the entire county.

Acute Care Hospitalizations: There were zero reported influenza and 116 COVID-19 admissions during Week 26. COVID-19 admissions increased by 40% (Figure 2).

Pharmacies: Zero prescriptions for CDC- approved influenza antiviral medications were reported during Week 26.


School absenteeism includes absences regardless of reason. In Week 26, the absence rate was 9.2%. This was 19% higher than the rate reported in Week 25.

Zero deaths related to influenza, 11 COVID-19 deaths and 17 pneumonia related deaths were reported during Week 26. The rates of pneumonia deaths increased by 109% and the COVID-19 associated death rate increased by 35% (Figure 1).


²⁾ Absence is for any reason. Percent is from total number of students enrolled. Data was collected from 12 schools or school districts throughout Summit County (n = approx. 32,000 students)

³⁾ Percent is from total number of emergency room interactions

Figure 1. Weekly Summit County death counts associated with pneumonia and influenza during 2020-2021 season




Hospitalizations: Summit County hospitals reported no influenza-associated hospitalizations, and 116 COVID-19 admissions in Week 26. Figure 2 displays weekly confirmed hospitalization counts for Summit County facilities (influenza total count to date = 1).



ESSENCE (Electronic Surveillance System for the Early Notification of Community-based Epidemics) is a web-based disease surveillance information system that lets agencies analyze events of public health interest, monitor healthcare data for events that could affect public health. For this report, ED visits related to respiratory complaints and influenza-like illness (ILI) are included. Figure 3 displays the weekly number of ER visits related to ILI symptoms in Summit County. There were 43 ILI-related visits reported during Week 26, which was 0.8% of total ED visits (n = 5246). This rate was 9% lower than the ILI rate during Week 25. The ILI-only indicator replaces the ILI and fever indicator that was used in previous reports.

Figure 3. Weekly ED visits in Summit County associated with influenza-like illness (ILI), by age groups, 2020 to 2021 season



455 500 20% % COVID-19 Positives 385 395 408 416 18% Positive for Influenza A Positive test results 400 16% 326 Positive for Influenza B 319 14% Rate Total positive influenza results 254 12% 238 Total COVID-19 positives 187 _{169 146} 10% 200 8% 109 6% 98 81 88 81 66 4% n 0 2% 0 0 0 0 0 0% neekT Neekjo MeekJi neeria Meekls Meek 16 WeekJI Meekjo Meet 19 Week 29 Week3 Neekg Meek 17 Meek 13 Meek 20 NeekZi Meek23 week 2ª Neerzs NeekZo Meek21 Meet 28 "Meet 30 Neeka Neeks neek6 neero Meek27 Flu Surveillance Week

Figure 4. Influenza diagnostic tests with positive results completed by Summit County health facilities, 2020 - 2021 season

Ohio Influenza Activity: from the Ohio Department of Health:

Current Ohio Activity Level (Geographic Spread) - Minimal

During MMWR Week 13, public health surveillance data sources indicate minimal intensity for influenza-like illne (ILI) in outpatient settings reported by Ohio's sentinel providers. Data from public health and clinical laboratorie show very low levels of influenza virus circulation. Week 13 syndromic emergency department data is delayed a Ohio finalizes the transition between syndromic surveillance data vendors. Reported cases of influenza-associate hospitalizations are below the seasonal threshold*. There were 2 influenza-associated hospitalization reported during MMWR Week 13.

Ohio Influenza Activity Summary Dashboard (March 28 to April 3, 2021):

Data Source	Current week value	Percent Change from last week ¹	# of weeks ²	Trend Chart ³
Influenza-like Illness (ILI) Outpatient Data (ILINet Sentinel Provider Visits)	0.51%	-45.74%	↓1	40 - 2020 Week Number 20-2
Thermometer Sales (National Retail Data Monitor) ⁴	0.65%	-10.96%	↓ 2	40 - 2020 Week Number 20-2
Fever and ILI Specified ED Visits (EpiCenter) ⁵	1.73%	-14.78%	↓ 4	40 - 2020 Week Number 20-2
Constitutional ED Visits (EpiCenter) ⁵	9.82%	-5.12%	↓ 2	40 - 2020 Week Number 20-2
Confirmed Influenza-associated Hospitalizations (Ohio Disease Reporting System)	2	-66.67%	↓ 1	40 - 2020 Week Number 20-2

¹Interpret percent changes with caution. Large variability may be exhibited in data sources with low weekly values.

Source: https://www.odh.ohio.gov/seasflu/Ohio%20Flu%20Activity.aspx

²Number of weeks that the % change is increasing or decreasing.

³Black lines represent current week's data; red lines represent baseline averages

⁴Due to abnormally high thermometer sales during the COVID-19 pandemic, the 2019-2020 season data has been omitted. A 4-year average, which includes data from the 2015-2016 season through the 2018-2019 season, is shown

⁵Week 13 syndromic emergency department data is delayed as Ohio finalizes the transition between syndromic surveillance data vendors; Data through week 52 is shown.

Ohio Surveillance Data:

- The Ohio Department of Health Laboratory has tested 16 specimens for influenza during the 2020-2021 influenza season; of these, 0 tested positive for influenza A(H1N1pdm09), 0 for influenza A(H3N2), 1 for influenza A (not subtyped), 0 for influenza B, and 15 were negative (through 04/03/2021).
- The National Respiratory and Enteric Virus Surveillance System (NREVSS) and U.S. World Health Organization
 (WHO) Collaborating Laboratories reported 31,366 tests for influenza performed at participating facilities; of these, 0
 tested positive for influenza A(H1N1pdm09), 2 for influenza A(H3N2), 35 for influenza A (subtyping not performed),
 and 19 for influenza B (through 03/27/2021; 2020-2021 season positive influenza testing data reflects a two-week lag
 to ensure data completeness).
- No pediatric influenza-associated mortalities have been reported so far during the 2020-2021 influenza season (through 04/03/2021).
- No **novel influenza A virus infections** have been reported so far during the 2020-2021 influenza season (through 04/03/2021).
- Incidence of confirmed influenza-associated hospitalizations in 2020-2021 season = 110 (through 04/03/2021).


National Surveillance: from Centers for Disease Control and Prevention (CDC):

Seasonal influenza activity in the United States remains lower than usual for this time of year.

National Outpatient Illness Surveillance:

During week 13, the percentage of outpatient visits for ILI increased to 1.0% (Figure 5), which is below the national baseline of 2.6%. During week 13, compared with week 12, the percentage of visits for ILI increased for one region (Region 8) and remained stable (change of $\leq 0.1\%$) in the remaining nine regions. All regions reported percentages of outpatient visits for ILI below their region-specific baselines. In Week 13, all reporting states & territories experienced minimal activity as reported by sentinel ILINet providers (Fig. 6).

Figure 5. Percentage of visits for influenza-like illness (ILI) reported by the U.S. Outpatient Influenza-like Surveillance Network (ILINet), weekly national summary, 2020-2021 and selected previous seasons



N. Mariana Islands

New York City

Law

Hawaii

Puerto Rico

Virgin Islands

Figure 6. Influenza-like illness (ILI) activity level indicator determined by data reported to ILINet

Source: https://www.cdc.gov/flu/weekly/

Global Surveillance:

Influenza Update N° 390, World Health Organization (WHO), published 29 March 2021, based on data up to 14 March 2021. The Update is published every two weeks.


Summary

The current influenza surveillance data should be interpreted with caution as the ongoing COVID-19 pandemic has influenced to varying extents health seeking behaviours, staffing/routines in sentinel sites, as well as testing priorities and capacities in Member States. The various hygiene and physical distancing measures implemented by Member States to reduce SARS-CoV-2 virus transmission have likely played a role in reducing influenza virus transmission.

- Globally, despite continued or even increased testing for influenza in some countries, influenza activity remained at lower levels than expected for this time of the year.
- In the **temperate zone of the northern hemisphere**, influenza activity remained below baseline, though sporadic detections of influenza A and B viruses continued to be reported in some countries.
- In the temperate zone of the southern hemisphere, influenza activity was reported at inter-seasonal level.
- In the Caribbean and Central American countries, no influenza detections were reported.
- In tropical South America, no influenza but low levels of detection of other respiratory viruses (ORVs) were reported in some countries.
- In tropical Africa, influenza activity was reported in some reporting countries in Western and Eastern Africa in recent weeks.
- In Southern Asia, sporadic influenza detections were reported in India and Nepal.
- In South East Asia, influenza A(H3N2) detections continued to be reported in Lao People's Democratic Republic (PDR).
- Worldwide, influenza B detections accounted for the majority of the very low numbers of detections reported.

• National Influenza Centres (NICs) and other national influenza laboratories from 85 countries, areas or territories reported data to FluNet for the time period from 01 March 2021 to 14 March 2021 (data as of 2021-03-26 08:06:28 UTC). The WHO GISRS laboratories tested more than 291427 specimens during that time period. A total of 375 specimens were positive for influenza viruses, of which 132 (35.2%) were typed as influenza A and 243 (64.8%) as influenza B. Of the sub-typed influenza A viruses, 5 (6.1%) were influenza A(H1N1)pdm09 and 77 (93.9%) were influenza A(H3N2). Of the characterized B viruses, 0 (0%) belonged to the B-Yamagata lineage and 188 (100%) to the B-Victoria lineage.

Figure 7. Percentage of respiratory specimens that tested positive for influenza, by influenza transmission zone (based on data up to 26 March, 2021)



The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

Data source: Global Influenza Surveillance and Response System (GISRS), FluNet (www.who.int/flunet) Copyright WHO 2021. All rights reserved.

World Health Organization

Source: https://www.who.int/influenza/surveillance_monitoring/updates/latest_update_GIP_surveillance/en/

About this report: Reporting agencies include labs, hospitals, long-term care and community-based care providers, physician offices, university clinic, pharmacies, and schools. Agencies are distributed throughout Summit County and report different indicators of flu activity including total lab tests, numbers of positive tests and type, antiviral prescriptions filled, school absences, and influenza like illness (ILI). Hospitalizations are lab confirmed for influenza and are obtained from the Ohio Disease Reporting System. Number of deaths associated with influenza and pneumonia are gathered from the Summit County Office of Vital Records death listings. Emergency room visits for complaints related to influenza are obtained by syndromic surveillance system (Epicenter).

Special thanks to all agencies who report Influenza related data weekly.

Reporting from participants may not be complete each week. Numbers may change as updated reports are received. For questions, please contact Joan Hall at the Summit County Public Health Communicable Disease Unit (330-375-2662 or cdu@schd.org). This report was issued on April 10, 2021.